

Certificate of Analysis

Analytical Testing Report · TB-500

SAMPLE IDENTIFICATION

Analyte †	TB-500	Date requested	—
Client	Pure North Peptides	Date received	4 Sep 2026
Vendor / brand †	purenorthpeptides.com	Date tested	9 Sep 2026
Lot number †	PNP-TB5-2612	Date reported	12 Sep 2026
Molecular formula	C39H67N9O13	Sample ID	SAMPLE-TB500-091226
Theoretical mass	877.99 g/mol	Quantity received †	One sealed vial, lyophilized
Condition on receipt	Intact and sealed on arrival, label legible.		

† Client-declared information. Results apply to the sample tested. Full reporting statements accompany the online verification record.

HPLC-UV PURITY & CONTENT ANALYSIS

METHOD · RP-HPLC-UV 220 NM · SPEC ≥ 98.0%

Expected content †
LABEL CLAIM **10.00 mg**

Mass
SAMPLE AS RECEIVED **10.41 mg**

Purity
HPLC AREA PURITY **98.84%**

Fill accuracy
MASS OVER LABEL CLAIM **104.1%**

PURITY CONFORMS

Client-supplied specification ≥ 98.0% for area purity: this sample meets that specification. Simple acceptance; no guard band. Applies to this specification only.



Fig. 1 · Product photograph

APPEARANCE

Appearance	White lyophilized powder
Cap colour	White

DETECTION
220 nm
FLOW RATE
1.0 mL/min

COLUMN
C18, 4.6 x 150 mm, 5 µm
INJECTION
20 µL

MOBILE PHASE
Water / acetonitrile, 0.1% TFA
RUN TIME
25 min

GRADIENT
5 to 65% B over 20 min
INTEGRATION
Area % of total response

Content calibrated against TB-500 working standard, qualified in house. Calculation basis: As received, uncorrected for water and counter-ion content.

AUTHORISATION

CONTROLLED CERTIFICATE RECORD

Canada Peptide Testing
RECORD ENTRY

Canada Peptide Testing
CERTIFICATE RELEASE
2026-09-15

Verify this certificate

Scan for the current certificate, signed results and reporting statements.

canadapeptidetesting.com/certificates/CPT-TB500-10-091226

Record 60fff6c02c0100cce2d2ffdc · signing key k1

Verification key WG28FEE24RY7



SCAN TO VERIFY